Automne :: Debug :: Statistics for file : 12-calendrier-des-formations.php

[SQL Resume] | [PHP Files] | [Memory Usage] | [SQL Detail]

Stat Resume:

Loaded in 2.07464 seconds
Loaded PHP files : 57
SQL requests : 0.22319 seconds (353 requests)
% SQL/PHP time : 10.76 %
Memory Peak : 10.057Mo

SQL Resume:

HighLight times upper than :

0.001 Change

Nb	Tables	Total time (sec)	Average time (sec)
-> select : 351			
2	in sessions	0.00503	**0.00252**
1	in profilesUsers,contactDatas,profiles	0.00054	0.00054
1	in modulesCategories,modulesCategories_clearances	0.00770	**0.00770**
19	in modulesCategories	0.00723	0.00038
3	in languages	0.00091	0.00030
1	in modules	0.00556	**0.00556**
91	in mod_object_field,mod_object_definition	0.04457	0.00049
48	in mod_object_definition	0.02067	0.00043
4	in pages,resources,resourceStatuses	0.00149	0.00037
5	in linx_tree_edited	0.00664	**0.00133**
3	in websites	0.00342	**0.00114**
6	in modulesCategories_,modulesCategories_i18nm	0.00733	**0.00122**
9	in modulesCategories_i18nm	0.00265	0.00029
2	in mod_object_definition,mod_object_field	0.00087	0.00043
29	in mod_subobject_integer_public	0.01602	0.00055
42	in mod_object_polyobjects	0.05065	**0.00121**
2	in mod_subobject_integer_public,resources,resourceStatuses	0.00067	0.00033
1	in mod_subobject_date_public	0.00037	0.00037
42	in mod_subobject_text_public	0.01500	0.00036
20	in resources,resourceStatuses	0.01393	0.00070
20	in mod_subobject_integer_public,modulesCategories	0.00606	0.00030
-> update : 1			
1	in sessions	0.00096	0.00096
-> unknown : 1			
1	SET NAMES 'utf8'	0.00492	**0.00492**

PHP Files Detail:

/automne/classes/dialogs/view.php
/automne/classes/dialogs/context.php
/automne/classes/common/query.php
/automne/classes/common/sensitiveio.php
/automne/classes/user/profileuserscatalog.php
/automne/classes/user/profile.php
/automne/classes/user/profileuser.php
/automne/classes/common/stack.php
/automne/classes/user/profilemodulecategoriesclearances.php
/automne/classes/modules/modulecategory.php
/automne/classes/common/language.php
/automne/classes/common/contactdatascatalog.php
/automne/classes/common/contactdata.php
/automne/classes/modules/module.php
/automne/classes/modules/standard.php
/automne/classes/files/cache.php
/automne/classes/files/filesManagement.php
Zend framework file
/automne/classes/modules/modulescatalog.php
/automne/classes/workflow/resource.php
/automne/classes/modules/moduleValidation.php
/automne/classes/modules/cms_aliases.php
/automne/classes/modules/cms_forms.php
/automne/classes/modules/modulePolymodValidation.php
/automne/classes/modules/polymod.php
/automne/classes/modules/polymod/polyobjects/poly_object.php
/automne/classes/modules/polymod/polyobjects/poly_object_catalog.php
/automne/classes/modules/polymod/polyobjects/poly_object_definition.php
/automne/classes/modules/polymod/polyobjects/poly_object_field.php
/automne/classes/modules/polymod/objects/object_common.php
/automne/classes/modules/polymod/objects/object_string.php
/automne/classes/modules/polymod/subobjects/subobject_common.php
/automne/classes/modules/polymod/subobjects/subobject_string.php
/automne/classes/modules/polymod/objects/object_categories.php
/automne/classes/modules/polymod/subobjects/subobject_integer.php
/automne/classes/modules/polymod/objects/object_date.php
/automne/classes/modules/polymod/subobjects/subobject_date.php
/automne/classes/workflow/resourcestatus.php
/automne/classes/common/date.php
/automne/classes/modules/polymod/objects/object_text.php
/automne/classes/modules/polymod/subobjects/subobject_text.php
/automne/classes/modules/polymod/objects/object_image.php
/automne/classes/modules/polymod/objects/object_integer.php
/automne/classes/modules/polymod/poly_definition_parsing.php
/automne/classes/tree/tree.php
/automne/classes/tree/page.php
/automne/classes/tree/websitescatalog.php
/automne/classes/tree/website.php
/automne/classes/modules/polymod/poly_definition_functions.php
/automne/classes/modules/modulecategoriescatalog.php
/automne/classes/common/languagescatalog.php
/automne/classes/modules/polymod/object_search.php
/automne/classes/pageContent/xml2Array.php

Memory Usage Evolution (file : current / max):

Memory is measured after the inclusion of a file

/automne/classes/dialogs/view.php : 0.716Mo / 0.743Mo
/automne/classes/dialogs/context.php : 0.869Mo / 0.883Mo
/automne/classes/common/query.php : 0.799Mo / 0.926Mo
/automne/classes/common/sensitiveio.php : 0.98Mo / 1.002Mo
/automne/classes/user/profileuserscatalog.php : 1.111Mo / 1.161Mo
/automne/classes/user/profile.php : 1.511Mo / 1.533Mo
/automne/classes/user/profileuser.php : 1.532Mo / 1.533Mo
/automne/classes/common/stack.php : 1.567Mo / 1.582Mo

/automne/classes/user/profilemodulecategoriesclearances.php : 1.628Mo / 1.659Mo
/automne/classes/modules/modulecategory.php : 1.804Mo / 1.878Mo
/automne/classes/common/language.php : 1.902Mo / 1.922Mo
/automne/classes/common/contactdatascatalog.php : 1.928Mo / 1.964Mo
/automne/classes/common/contactdata.php : 1.992Mo / 2.014Mo
/automne/classes/modules/module.php : 2.696Mo / 2.753Mo
/automne/classes/modules/standard.php : 2.706Mo / 2.753Mo
/automne/classes/files/cache.php : 2.759Mo / 2.778Mo
/automne/classes/files/filesManagement.php : 3.015Mo / 3.054Mo
Zend framework file : 3.165Mo / 3.194Mo
/automne/classes/modules/modulescatalog.php : 3.582Mo / 3.636Mo
/automne/classes/workflow/resource.php : 3.738Mo / 3.761Mo
/automne/classes/modules/moduleValidation.php : 3.862Mo / 3.906Mo
/automne/classes/modules/cms_aliases.php : 3.875Mo / 3.906Mo
/automne/classes/modules/cms_forms.php : 3.933Mo / 3.956Mo
/automne/classes/modules/modulePolymodValidation.php : 4.392Mo / 4.447Mo
/automne/classes/modules/polymod.php : 4.405Mo / 4.447Mo
/automne/classes/modules/polymod/polyobjects/poly_object.php : 4.803Mo / 4.838Mo
/automne/classes/modules/polymod/polyobjects/poly_object_catalog.php : 5Mo / 5.022Mo
/automne/classes/modules/polymod/polyobjects/poly_object_definition.php : 5.295Mo / 5.349Mo
/automne/classes/modules/polymod/polyobjects/poly_object_field.php : 5.302Mo / 5.349Mo
/automne/classes/modules/polymod/objects/object_common.php : 5.568Mo / 5.616Mo
/automne/classes/modules/polymod/objects/object_string.php : 5.576Mo / 5.616Mo
/automne/classes/modules/polymod/subobjects/subobject_common.php : 5.633Mo / 5.678Mo
/automne/classes/modules/polymod/subobjects/subobject_string.php : 5.64Mo / 5.678Mo
/automne/classes/modules/polymod/objects/object_categories.php : 6.027Mo / 6.083Mo
/automne/classes/modules/polymod/subobjects/subobject_integer.php : 6.044Mo / 6.083Mo
/automne/classes/modules/polymod/objects/object_date.php : 6.179Mo / 6.203Mo
/automne/classes/modules/polymod/subobjects/subobject_date.php : 6.194Mo / 6.216Mo
/automne/classes/workflow/resourcestatus.php : 6.372Mo / 6.412Mo
/automne/classes/common/date.php : 6.447Mo / 6.462Mo
/automne/classes/modules/polymod/objects/object_text.php : 6.594Mo / 6.634Mo
/automne/classes/modules/polymod/subobjects/subobject_text.php : 6.609Mo / 6.642Mo
/automne/classes/modules/polymod/objects/object_image.php : 7.004Mo / 7.151Mo
/automne/classes/modules/polymod/objects/object_integer.php : 7.142Mo / 7.206Mo
/automne/classes/modules/polymod/poly_definition_parsing.php : 7.667Mo / 7.747Mo
/automne/classes/tree/tree.php : 7.942Mo / 7.966Mo
/automne/classes/tree/page.php : 8.307Mo / 8.347Mo
/automne/classes/tree/websitescatalog.php : 8.386Mo / 8.422Mo
/automne/classes/tree/website.php : 8.489Mo / 8.506Mo
/automne/classes/modules/polymod/poly_definition_functions.php : 8.597Mo / 8.683Mo
/automne/classes/modules/modulecategoriescatalog.php : 8.784Mo / 8.803Mo
/automne/classes/common/languagescatalog.php : 8.865Mo / 8.942Mo
/automne/classes/modules/polymod/object_search.php : 9.201Mo / 9.443Mo
/automne/classes/pageContent/xml2Array.php : 9.953Mo / 10.057Mo

SQL Detail:

1 : **SET NAMES 'utf8'**
Loaded in 0.004918098449707 From CMS_query->_connect (line 181) « CMS_query->__construct (line 88) « CMS_context->checkSession (line 412)
Memory : 0.983Mo / 1.002Mo

2 : **select * from sessions where (UNIX_TIMESTAMP(NOW())-UNIX_TIMESTAMP(lastTouch_ses) > 3600 and cookie_expire_ses = '0000:00:00 00:00:00') OR (cookie_expire_ses !=**
Loaded in 0.0031731128692627 From CMS_context->checkSession (line 412) « require_once (line 52) « /html/12.php (line 3)
Memory : 0.983Mo / 1.002Mo

3 : **select * from sessions where phpid_ses='6d4f38db89caab57a1615d9de989ef0c277d5f56' and http_user_agent_ses like 'Mozilla/5.0 (Windows; U; Windows NT 5.1; fr; rv:1.9.2.1**
Loaded in 0.0018618106842041 From CMS_context->checkSession (line 463) « require_once (line 52) « /html/12.php (line 3)
Memory : 0.987Mo / 1.002Mo

4 : **update sessions set lastTouch_ses=NOW(), user_ses='1' where phpid_ses='6d4f38db89caab57a1615d9de989ef0c277d5f56'**
Loaded in 0.00095701217651367 From CMS_context->checkSession (line 474) « require_once (line 52) « /html/12.php (line 3)
Memory : 0.986Mo / 1.002Mo

5 : **select * from profilesUsers, contactDatas, profiles where id_pru='1' and id_cd=contactData_pru and id_pr=profile_pru**
Loaded in 0.00054287910461426 From CMS_profile_user->__construct (line 173) « CMS_profile_usersCatalog::getByID (line 45) « CMS_context->getUser (line 240)
Memory : 1.571Mo / 1.582Mo

6 : **select id_mcc as id, category_mcc as categoryID, clearance_mcc as clearance from modulesCategories, modulesCategories_clearances where id_mca=category_mcc and profile_m**
Loaded in 0.0076990127563477 From CMS_moduleCategoriesClearances->__construct (line 87) « CMS_profile->__construct (line 207) « CMS_profile_user->__construct (line 212)
Memory : 1.811Mo / 1.878Mo

7 : **select id_mca as categoryID from modulesCategories where parent_mca = '0'**
Loaded in 0.0013489723205566 From CMS_moduleCategoriesClearances->setAdminLevel (line 144) « CMS_profile->__construct (line 235) « CMS_profile_user->__construct (line 212)
Memory : 1.813Mo / 1.878Mo

8 : **select * from languages where code_lng='fr'**
Loaded in 0.00031208992004395 From CMS_language->__construct (line 100) « CMS_profile_user->__construct (line 213) « CMS_profile_usersCatalog::getByID (line 45)
Memory : 1.906Mo / 1.922Mo

9 : **select * from modules order by id_mod**
Loaded in 0.0055618286132812 From CMS_modulesCatalog::getAll (line 144) « /web/12-calendrier-des-formations.php (line 4) « spl_autoload_call
Memory : 3.586Mo / 3.636Mo

10 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00071811676025391 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « /html/12.php (line 244)
Memory : 5.008Mo / 5.022Mo

11 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00036287307739258 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 5.33Mo / 5.406Mo

12 : **select * from mod_object_field, mod_object_definition where object_id_mof = '4' and object_id_mof = id_mod order by order_mof**
Loaded in 0.0018899440765381 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « /html/12.php (line 245)
Memory : 6.459Mo / 6.474Mo

13 : **select * from mod_object_definition where id_mod='4'**
Loaded in 0.0003669261932373 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 6.482Mo / 6.547Mo

14 : **select * from mod_object_field, mod_object_definition where object_id_mof = '7' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00042891502380371 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « /html/12.php (line 246)
Memory : 7.025Mo / 7.151Mo

15 : **select * from mod_object_definition where id_mod='7'**
Loaded in 0.00033116340637207 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 7.071Mo / 7.171Mo

16 : **select * from mod_object_field, mod_object_definition where object_id_mof = '9' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00045299530029297 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « /html/12.php (line 247)
Memory : 7.18Mo / 7.216Mo

17 : **select * from mod_object_definition where id_mod='9'**
Loaded in 0.00036811828613281 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 7.199Mo / 7.265Mo

18 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00042200088500977 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « /html/12.php (line 248)
Memory : 7.216Mo / 7.265Mo

19 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00035500526428223 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 7.238Mo / 7.304Mo

20 : **select * from mod_object_field, mod_object_definition where object_id_mof = '6' and object_id_mof = id_mod order by order_mof**
Loaded in 0.0004119873046875 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « /html/12.php (line 249)
Memory : 7.261Mo / 7.304Mo

21 : **select * from mod_object_definition where id_mod='6'**
Loaded in 0.00034379959106445 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 7.276Mo / 7.333Mo

22 : **select * from pages, resources, resourceStatuses where id_pag='12' and resource_pag = id_res and status_res = id_rs**
Loaded in 0.00038290023803711 From CMS_page->__construct (line 143) « CMS_tree::getPageByID (line 72) « CMS_tree::getPageValue (line 103)
Memory : 8.314Mo / 8.347Mo

23 : **select father_ltr from linx_tree_edited where sibling_ltr='12'**
Loaded in 0.00025796890258789 From CMS_tree::getLineage (line 585) « CMS_tree::getPageWebsite (line 1269) « CMS_page->getURL (line 379)
Memory : 8.331Mo / 8.35Mo

24 : **select father_ltr from linx_tree_edited where sibling_ltr='2'**
Loaded in 0.00024008750915527 From CMS_tree::getLineage (line 585) « CMS_tree::getPageWebsite (line 1269) « CMS_page->getURL (line 379)
Memory : 8.333Mo / 8.35Mo

25 : **select root_web from websites**
Loaded in 0.0020411014556885 From CMS_websitesCatalog::isWebsiteRoot (line 252) « CMS_tree::getPageWebsite (line 1276) « CMS_page->getURL (line 379)
Memory : 8.388Mo / 8.422Mo

26 : **select id_web from websites where root_web='1'**
Loaded in 0.00030183792114258 From CMS_websitesCatalog::getWebsiteFromRoot (line 289) « CMS_tree::getPageWebsite (line 1285) « CMS_page->getURL (line 379)
Memory : 8.389Mo / 8.422Mo

27 : **select * from websites where id_web='1'**
Loaded in 0.0010809898376465 From CMS_website->__construct (line 132) « CMS_websitesCatalog::getByID (line 40) « CMS_websitesCatalog::getWebsiteFromRoot (line 291)
Memory : 8.493Mo / 8.506Mo

28 : **select * from pages, resources, resourceStatuses where id_pag='1' and resource_pag = id_res and status_res = id_rs**
Loaded in 0.00036907196044922 From CMS_page->__construct (line 143) « CMS_website->__construct (line 140) « CMS_websitesCatalog::getByID (line 40)
Memory : 8.502Mo / 8.513Mo

29 : **select module_mod from mod_object_field, mod_object_definition where id_mof = '11' and object_id_mof = id_mod**
Loaded in 0.00033998489379883 From CMS_poly_object_catalog::getModuleCodenameForField (line 519) « CMS_object_categories->getAllCategoriesAsArray (line 582) « CMS_object_categories->se
Memory : 8.602Mo / 8.683Mo

30 : **select id_mca as id from modulesCategories ,modulesCategories_i18nm where 1 = 1 and module_mca='pplan' and parent_mca='22'and id_mca=category_mcl and language_mc**
Loaded in 0.0003969669342041 From CMS_moduleCategories_catalog->getAll (line 691) « CMS_module->getModuleCategories (line 648) « CMS_moduleCategories_catalog->getAllCategoriesAsArray
Memory : 8.791Mo / 8.803Mo

31 : **select * from modulesCategories where id_mca='29'**
Loaded in 0.00024795532226562 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_moduleCategories_catalog->getAll (line 693)
Memory : 8.795Mo / 8.806Mo

32 : **select * from modulesCategories where id_mca='30'**
Loaded in 0.00028395652770996 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_moduleCategories_catalog->getAll (line 693)
Memory : 8.798Mo / 8.809Mo

33 : **select * from modulesCategories where id_mca='63'**
Loaded in 0.0002901554107666 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_moduleCategories_catalog->getAll (line 693)
Memory : 8.8Mo / 8.812Mo

34 : **select * from modulesCategories where id_mca='64'**
Loaded in 0.00027608871459961 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_moduleCategories_catalog->getAll (line 693)
Memory : 8.803Mo / 8.815Mo

35 : **select * from modulesCategories where id_mca='73'**
Loaded in 0.00029802322387695 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_moduleCategories_catalog->getAll (line 693)
Memory : 8.806Mo / 8.817Mo

36 : **select code_lng from languages where availableForBackoffice_lng=1 order by label_lng**
Loaded in 0.00028395652770996 From CMS_languagesCatalog::getAllLanguages (line 59) « CMS_moduleCategory->_retrieveLabels (line 389) « CMS_moduleCategory->getLabel (line 431)
Memory : 8.868Mo / 8.942Mo

37 : **select * from languages where code_lng='en'**
Loaded in 0.00031018257141113 From CMS_language->__construct (line 100) « CMS_languagesCatalog::getAllLanguages (line 62) « CMS_moduleCategory->_retrieveLabels (line 389)
Memory : 8.872Mo / 8.942Mo

38 : **select label_mcl as libelle, description_mcl as description, file_mcl as file, LOWER(language_mcl) as lang from modulesCategories_i18nm where category_mcl='29' order by lan**
Loaded in 0.00032615661621094 From CMS_moduleCategory->_retrieveLabels (line 408) « CMS_moduleCategory->getLabel (line 431) « CMS_moduleCategories_catalog->getAllCategoriesAsArray (li
Memory : 8.873Mo / 8.942Mo

39 : **select id_mca as id from modulesCategories ,modulesCategories_i18nm where 1 = 1 and module_mca='pplan' and parent_mca='29'and id_mca=category_mcl and language_mc**
Loaded in 0.00027799606323242 From CMS_moduleCategories_catalog->getAll (line 691) « CMS_module->getModuleCategories (line 648) « CMS_moduleCategories_catalog->getSiblingCategoriesAs
Memory : 8.877Mo / 8.942Mo

40 : **select label_mcl as libelle, description_mcl as description, file_mcl as file, LOWER(language_mcl) as lang from modulesCategories_i18nm where category_mcl='30' order by lan**
Loaded in 0.00027799606323242 From CMS_moduleCategory->_retrieveLabels (line 408) « CMS_moduleCategory->getLabel (line 431) « CMS_moduleCategories_catalog->getAllCategoriesAsArray (li
Memory : 8.876Mo / 8.942Mo

41 : **select id_mca as id from modulesCategories ,modulesCategories_i18nm where 1 = 1 and module_mca='pplan' and parent_mca='30'and id_mca=category_mcl and language_mc**
Loaded in 0.005763053894043 From CMS_moduleCategories_catalog->getAll (line 691) « CMS_module->getModuleCategories (line 648) « CMS_moduleCategories_catalog->getSiblingCategoriesAsA
Memory : 8.881Mo / 8.942Mo

42 : **select label_mcl as libelle, description_mcl as description, file_mcl as file, LOWER(language_mcl) as lang from modulesCategories_i18nm where category_mcl='63' order by lan**
Loaded in 0.00030708312988281 From CMS_moduleCategory->_retrieveLabels (line 408) « CMS_moduleCategory->getLabel (line 431) « CMS_moduleCategories_catalog->getAllCategoriesAsArray (li
Memory : 8.88Mo / 8.942Mo

43 : **select id_mca as id from modulesCategories ,modulesCategories_i18nm where 1 = 1 and module_mca='pplan' and parent_mca='63'and id_mca=category_mcl and language_mc**
Loaded in 0.0003659725189209 From CMS_moduleCategories_catalog->getAll (line 691) « CMS_module->getModuleCategories (line 648) « CMS_moduleCategories_catalog->getSiblingCategoriesAs
Memory : 8.884Mo / 8.942Mo

44 : **select label_mcl as libelle, description_mcl as description, file_mcl as file, LOWER(language_mcl) as lang from modulesCategories_i18nm where category_mcl='64' order by lan**
Loaded in 0.00025820732116699 From CMS_moduleCategory->_retrieveLabels (line 408) « CMS_moduleCategory->getLabel (line 431) « CMS_moduleCategories_catalog->getAllCategoriesAsArray (li
Memory : 8.883Mo / 8.942Mo

45 : **select id_mca as id from modulesCategories ,modulesCategories_i18nm where 1 = 1 and module_mca='pplan' and parent_mca='64'and id_mca=category_mcl and language_mc**
Loaded in 0.00026297569274902 From CMS_moduleCategories_catalog->getAll (line 691) « CMS_module->getModuleCategories (line 648) « CMS_moduleCategories_catalog->getSiblingCategoriesAs
Memory : 8.887Mo / 8.942Mo

46 : **select label_mcl as libelle, description_mcl as description, file_mcl as file, LOWER(language_mcl) as lang from modulesCategories_i18nm where category_mcl='73' order by lan**
Loaded in 0.0002741813659668 From CMS_moduleCategory->_retrieveLabels (line 408) « CMS_moduleCategory->getLabel (line 431) « CMS_moduleCategories_catalog->getAllCategoriesAsArray (lin
Memory : 8.886Mo / 8.942Mo

47 : **select id_mca as id from modulesCategories ,modulesCategories_i18nm where 1 = 1 and module_mca='pplan' and parent_mca='73'and id_mca=category_mcl and language_mc**
Loaded in 0.00026202201843262 From CMS_moduleCategories_catalog->getAll (line 691) « CMS_module->getModuleCategories (line 648) « CMS_moduleCategories_catalog->getSiblingCategoriesAs
Memory : 8.89Mo / 8.942Mo

48 : **select id_mod from mod_object_field, mod_object_definition where id_mof = '11' and object_id_mof = id_mod**
Loaded in 0.00024104118347168 From CMS_poly_object_catalog::getObjectIDForField (line 551) « CMS_object_categories->getAllUsedCategoriesForField (line 658) « CMS_object_categories->getAll
Memory : 8.887Mo / 8.942Mo

49 : **select id_mof from mod_object_definition, mod_object_field where id_mod='3' and object_id_mof = id_mod and type_mof = 'CMS_object_categories'**
Loaded in 0.00030112266540527 From CMS_poly_object_catalog::objectHasCategories (line 287) « CMS_object_categories->getAllUsedCategoriesForField (line 658) « CMS_object_categories->getAl
Memory : 8.888Mo / 8.942Mo

50 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00042104721069336 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_categories->getAllUsedCategoriesForField (line 664) « CMS_object_categories->getAllC
Memory : 8.895Mo / 8.942Mo

51 : **select id_mca as id from modulesCategories where parent_mca != '99999' and module_mca = 'pplan'**
Loaded in 0.00040197372436523 From CMS_moduleCategories_catalog::getViewvableCategoriesForProfile (line 743) « CMS_object_categories->getAllUsedCategoriesForField (line 712) « CMS_object_
Memory : 8.92Mo / 9.002Mo

52 : **select id_mca as categoryID from modulesCategories where parent_mca = '0' and module_mca = 'pplan'**
Loaded in 0.00024890899658203 From CMS_moduleCategoriesClearances->getCategoriesClearances (line 222) « CMS_profile->getRootCategories (line 1276) « CMS_profile->getRootModuleCategorie
Memory : 8.937Mo / 9.002Mo

53 : **select id_mca as id from modulesCategories where parent_mca='99999' and module_mca = 'pplan'**
Loaded in 0.00027799606323242 From CMS_moduleCategories_catalog::getDeletedCategories (line 71) « CMS_profile->getRootModuleCategoriesDenied (line 1326) « CMS_profile->filterModuleCateg
Memory : 8.939Mo / 9.002Mo

54 : **select id_mca as id, lineage_mca as lineage from modulesCategories**
Loaded in 0.00039100646972656 From CMS_moduleCategories_catalog::getLineageOfCategory (line 537) « CMS_moduleCategories_catalog::getLineageOfCategoryAsString (line 580) « CMS_moduleC
Memory : 8.942Mo / 9.002Mo

55 : **select distinct objectID from mod_subobject_integer_public where objectFieldID in (11,12,14,15) and value in (19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71,72,73,78,81,83,84,85,86,88,89,90,91,92,93,94,9**
Loaded in 0.0068278312683105 From CMS_object_categories->getAllUsedCategoriesForField (line 730) « CMS_object_categories->getAllCategoriesAsArray (line 606) « CMS_object_categories->selec
Memory : 8.97Mo / 9.012Mo

56 : **select distinct value from mod_subobject_integer_public where objectFieldID = '11' and objectID in(187,186,184,183,98,101,113,115,117,119,120,122,124,127,129,130,132,13**
Loaded in 0.00032806396484375 From CMS_object_categories->getAllUsedCategoriesForField (line 753) « CMS_object_categories->getAllCategoriesAsArray (line 606) « CMS_object_categories->sele
Memory : 8.977Mo / 9.013Mo

57 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00037717819213867 From CMS_poly_object_definition->__construct (line 129) « /html/12.php (line 304) « /web/12-calendrier-des-formations.php (line 4)
Memory : 8.935Mo / 9.013Mo

58 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '3' and deleted_moo = '0'**
Loaded in 0.00034904479980469 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.21Mo / 9.443Mo

59 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043606758117676 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.229Mo / 9.443Mo

60 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '11' and value not in (19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71,72,73,78,81,83,84,85,86,88,89,90,91,92,93,94,9 (98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147,149,152,153,154,156,158,160,161,162,164,166,167,168,170,172,174,176,177,180,181,182,18**
Loaded in 0.00031113624572754 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.26Mo / 9.443Mo

61 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '11' and objectID in (98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,14**
Loaded in 0.00031590461730957 From CMS_object_search->_getIds (line 741) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.263Mo / 9.443Mo

62 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '12' and value not in (19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71,72,73,78,81,83,84,85,86,88,89,90,91,92,93,94,9 (187,186,184,183,98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147,149,152,153,154,156,158,160,161,162,164,166,167,168,170,172,174,176,17**
Loaded in 0.00026297569274902 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.264Mo / 9.443Mo

63 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '12' and objectID in (187,186,184,183,98,101,113,115,117,119,120,122,124,127,129,130,13**
Loaded in 0.00029110908508301 From CMS_object_search->_getIds (line 741) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.265Mo / 9.443Mo

64 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '14' and value not in (19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71,72,73,78,81,83,84,85,86,88,89,90,91,92,93,94,9 (187,186,184,183,98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147,149,152,153,154,156,158,160,161,162,164,166,167,168,170,172,174,176,17**
Loaded in 0.0003209114074707 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.267Mo / 9.443Mo

65 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '14' and objectID in (187,186,184,183,98,101,113,115,117,119,120,122,124,127,129,130,13**
Loaded in 0.00033688545227051 From CMS_object_search->_getIds (line 741) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.267Mo / 9.443Mo

66 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '15' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (187,186,184,183,98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147,149,152,153,154,156,158,160,161,162,164,166,167,168,170**
Loaded in 0.00027704238891602 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.27Mo / 9.443Mo

67 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (187,186,184,183,98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,14**
Loaded in 0.0003209114074707 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.271Mo / 9.443Mo

68 : **select distinct objectID from mod_subobject_integer_public, resources, resourceStatuses where objectFieldID = '0' and value = id_res and status_res=id_rs and publicationDate (98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147,149,152,153,154,156,158,160,161,162,164,166,167,168,170,172,174,176,177,180,181,182,18**
Loaded in 0.00037598609924316 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.273Mo / 9.443Mo

69 : **select distinct objectID from mod_subobject_integer_public, resources, resourceStatuses where objectFieldID = '0' and value = id_res and status_res=id_rs and (publicationDat (187,186,184,183,98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147,149,152,153,154,156,158,160,161,162,164,166,167,168,170,172,174,176,17**
Loaded in 0.00029182434082031 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 346)
Memory : 9.275Mo / 9.443Mo

70 : **select distinct objectID from mod_subobject_date_public where objectFieldID = '13' and objectID in (187,186,184,183,98,101,113,115,117,119,120,122,124,127,129,130,132,1**
Loaded in 0.00037097930908203 From CMS_object_search->_sortIds (line 1337) « CMS_object_search->search (line 1507) « /html/12.php (line 346)
Memory : 9.261Mo / 9.443Mo

71 : **select distinct objectID from mod_subobject_text_public where objectID in (98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147,149,152,153, mod_subobject_integer_public where objectID in (98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147,149,152,153,154,156,158,160,186,161,162, (98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147,149,152,153,154,156,158,160,186,161,162,164,166,167,183,184,168,170,187,172,174,176,17 (98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147,149,152,153,154,156,158,160,186,161,162,164,166,167,183,184,168,170,187,172,174,176,17**
Loaded in 0.00036001205444336 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 346)
Memory : 9.272Mo / 9.443Mo

72 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00040698051452637 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.267Mo / 9.443Mo

73 : **select * from mod_subobject_text_public where objectID in (98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147) union distinct select * from mod_subobject_string_public where objectID in (98,101,113,115,117,119,120,122,124,127,129,130,132,136,138,139,140,142,145,147) union distinct select * from mod_subobject**
Loaded in 0.00054001808166504 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 346)
Memory : 9.265Mo / 9.443Mo

74 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.0004420280456543 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.446Mo / 9.479Mo

75 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00035810470581055 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.476Mo / 9.553Mo

76 : **select * from resources, resourceStatuses where id_res='117' and status_res=id_rs**
Loaded in 0.00034499168395996 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.501Mo / 9.553Mo

77 : **select * from pages, resources, resourceStatuses where id_pag='61' and resource_pag = id_res and status_res = id_rs**
Loaded in 0.00037217140197754 From CMS_page->__construct (line 143) « CMS_tree::getPageByID (line 72) « CMS_tree::getPageValue (line 103)
Memory : 9.517Mo / 9.553Mo

78 : **select father_ltr from linx_tree_edited where sibling_ltr='61'**
Loaded in 0.0052521228790283 From CMS_tree::getLineage (line 585) « CMS_tree::getPageWebsite (line 1269) « CMS_page->getURL (line 379)
Memory : 9.533Mo / 9.566Mo

79 : **select father_ltr from linx_tree_edited where sibling_ltr='8'**
Loaded in 0.00057601928710938 From CMS_tree::getLineage (line 585) « CMS_tree::getPageWebsite (line 1269) « CMS_page->getURL (line 379)
Memory : 9.536Mo / 9.566Mo

80 : **select * from pages, resources, resourceStatuses where id_pag='67' and resource_pag = id_res and status_res = id_rs**
Loaded in 0.00036787986755371 From CMS_page->__construct (line 143) « CMS_tree::getPageByID (line 72) « CMS_tree::getPageValue (line 103)
Memory : 9.539Mo / 9.566Mo

81 : **select father_ltr from linx_tree_edited where sibling_ltr='67'**
Loaded in 0.00031113624572754 From CMS_tree::getLineage (line 585) « CMS_tree::getPageWebsite (line 1269) « CMS_page->getURL (line 379)

Memory : 9.555Mo / 9.585Mo

82 : **select * from modulesCategories where id_mca='73'**
Loaded in 0.00029206275939941 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_object_categories->getValue (line 942)
Memory : 9.557Mo / 9.585Mo

83 : **select * from modulesCategories where id_mca='24'**
Loaded in 0.00028800964355469 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_object_categories->getValue (line 942)
Memory : 9.56Mo / 9.585Mo

84 : **select label_mcl as libelle, description_mcl as description, file_mcl as file, LOWER(language_mcl) as lang from modulesCategories_i18nm where category_mcl='24' order by lan**
Loaded in 0.00028705596923828 From CMS_moduleCategory->_retrieveLabels (line 408) « CMS_moduleCategory->getLabel (line 431) « CMS_object_categories->getValue (line 944)
Memory : 9.563Mo / 9.585Mo

85 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00036406517028809 From CMS_poly_object_definition->__construct (line 129) « /html/12.php (line 491) « /web/12-calendrier-des-formations.php (line 4)
Memory : 9.565Mo / 9.585Mo

86 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00030803680419922 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.571Mo / 9.587Mo

87 : **select id_mof from mod_object_definition, mod_object_field where id_mod='5' and object_id_mof = id_mod and type_mof = 'CMS_object_categories'**
Loaded in 0.00056600570678711 From CMS_poly_object_catalog::objectHasCategories (line 287) « CMS_poly_object_definition->hasCategories (line 549) « CMS_object_search->_getIds (line 646)
Memory : 9.577Mo / 9.594Mo

88 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00042104721069336 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.59Mo / 9.616Mo

89 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00030994415283203 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.614Mo / 9.68Mo

90 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,14**
Loaded in 0.00029706954956055 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.617Mo / 9.68Mo

91 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;92' or lineage_mca like ' (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00029802322387695 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.621Mo / 9.68Mo

92 : **select distinct objectID from mod_subobject_text_public where objectID in (96) union distinct select distinct objectID from mod_subobject_integer_public where objectID in (mod_subobject_date_public where objectID in (96)**
Loaded in 0.00029206275939941 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.6Mo / 9.68Mo

93 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00035500526428223 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.605Mo / 9.68Mo

94 : **select * from mod_subobject_text_public where objectID in (96) union distinct select * from mod_subobject_integer_public where objectID in (96) union distinct select * from**
Loaded in 0.00039005279541016 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.602Mo / 9.704Mo

95 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00041794776916504 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.621Mo / 9.704Mo

96 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00033688545227051 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.643Mo / 9.718Mo

97 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043678283691406 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.588Mo / 9.718Mo

98 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00034904479980469 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.618Mo / 9.718Mo

99 : **select * from resources, resourceStatuses where id_res='119' and status_res=id_rs**
Loaded in 0.00040507316589355 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.643Mo / 9.718Mo

100 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.0073661804199219 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.587Mo / 9.718Mo

101 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00044584274291992 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.605Mo / 9.718Mo

102 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00036287307739258 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.63Mo / 9.718Mo

103 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00039792060852051 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.632Mo / 9.718Mo

104 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;93' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00026988983154297 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.637Mo / 9.718Mo

105 : **select distinct objectID from mod_subobject_text_public where objectID in (99) union distinct select distinct objectID from mod_subobject_integer_public where objectID in (mod_subobject_date_public where objectID in (99)**
Loaded in 0.00026893615722656 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.615Mo / 9.718Mo

106 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00052380561828613 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.62Mo / 9.718Mo

107 : **select * from mod_subobject_text_public where objectID in (99) union distinct select * from mod_subobject_integer_public where objectID in (99) union distinct select * fro**
Loaded in 0.00041294097900391 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.617Mo / 9.721Mo

108 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00046515464782715 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.637Mo / 9.721Mo

109 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00046896934509277 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.659Mo / 9.736Mo

110 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00044512748718262 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.602Mo / 9.736Mo

111 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00032997131347656 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.632Mo / 9.736Mo

112 : **select * from resources, resourceStatuses where id_res='130' and status_res=id_rs**
Loaded in 0.00041484832763672 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.657Mo / 9.736Mo

113 : **select * from modulesCategories where id_mca='30'**
Loaded in 0.00054693222045898 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_object_categories->getValue (line 942)
Memory : 9.6Mo / 9.736Mo

114 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.0045039653778076 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.605Mo / 9.736Mo

115 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00037407875061035 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.623Mo / 9.736Mo

116 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00029182434082031 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.648Mo / 9.736Mo

117 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.0003049373626709 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.65Mo / 9.736Mo

118 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;94' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00028491020202637 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.655Mo / 9.736Mo

119 : **select distinct objectID from mod_subobject_text_public where objectID in (102) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (102)**
Loaded in 0.00025796890258789 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.633Mo / 9.736Mo

120 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00045895576477051 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.638Mo / 9.736Mo

121 : **select * from mod_subobject_text_public where objectID in (102) union distinct select * from mod_subobject_integer_public where objectID in (102) union distinct select * fr**
Loaded in 0.0004119873046875 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.635Mo / 9.742Mo

122 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00039410591125488 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.658Mo / 9.742Mo

123 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.0003199577331543 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.68Mo / 9.759Mo

124 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00041913986206055 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.62Mo / 9.759Mo

125 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00036215782165527 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.65Mo / 9.759Mo

126 : **select * from resources, resourceStatuses where id_res='131' and status_res=id_rs**
Loaded in 0.00034904479980469 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.675Mo / 9.759Mo

127 : **select * from modulesCategories where id_mca='29'**
Loaded in 0.00031185150146484 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_object_categories->getValue (line 942)
Memory : 9.618Mo / 9.759Mo

128 : **select * from modulesCategories where id_mca='32'**
Loaded in 0.00034308433532715 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_object_categories->getValue (line 942)
Memory : 9.621Mo / 9.759Mo

129 : **select label_mcl as libelle, description_mcl as description, file_mcl as file, LOWER(language_mcl) as lang from modulesCategories_i18nm where category_mcl='32' order by la**
Loaded in 0.00031113624572754 From CMS_moduleCategory->_retrieveLabels (line 408) « CMS_moduleCategory->getLabel (line 431) « CMS_object_categories->getValue (line 944)
Memory : 9.624Mo / 9.759Mo

130 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00029397010803223 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.628Mo / 9.759Mo

131 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00041604042053223 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.647Mo / 9.759Mo

132 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00030303001403809 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.672Mo / 9.759Mo

133 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00031208992004395 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.674Mo / 9.759Mo

134 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;70' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00025010108947754 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.679Mo / 9.759Mo

135 : **select distinct objectID from mod_subobject_text_public where objectID in (42) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (42)**
Loaded in 0.00028395652770996 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.657Mo / 9.759Mo

136 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00037598609924316 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.662Mo / 9.759Mo

137 : **select * from mod_subobject_text_public where objectID in (42) union distinct select * from mod_subobject_integer_public where objectID in (42) union distinct select * fro**
Loaded in 0.00045084953308105 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.659Mo / 9.766Mo

138 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043487548828125 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.679Mo / 9.766Mo

139 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00037002563476562 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.701Mo / 9.782Mo

140 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00044107437133789 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.643Mo / 9.782Mo

141 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00040102005004883 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.673Mo / 9.782Mo

142 : **select * from resources, resourceStatuses where id_res='132' and status_res=id_rs**
Loaded in 0.00078010559082031 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.698Mo / 9.782Mo

143 : **select * from modulesCategories where id_mca='63'**
Loaded in 0.0003659725189209 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_object_categories->getValue (line 942)
Memory : 9.64Mo / 9.782Mo

144 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.0082089900970459 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.645Mo / 9.782Mo

145 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00052213668823242 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.664Mo / 9.782Mo

146 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00041913986206055 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.689Mo / 9.782Mo

147 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00033807754516602 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.691Mo / 9.782Mo

148 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;96' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00049901008605957 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.696Mo / 9.782Mo

149 : **select distinct objectID from mod_subobject_text_public where objectID in (116) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (116)**
Loaded in 0.00038504600524902 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.674Mo / 9.782Mo

150 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00047397613525391 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.679Mo / 9.782Mo

151 : **select * from mod_subobject_text_public where objectID in (116) union distinct select * from mod_subobject_integer_public where objectID in (116) union distinct select * fr**
Loaded in 0.00037693977355957 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.676Mo / 9.787Mo

152 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00038409233093262 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.695Mo / 9.787Mo

153 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.0003659725189209 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.718Mo / 9.803Mo

154 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00040507316589355 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.66Mo / 9.803Mo

155 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.0003669261932373 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.69Mo / 9.803Mo

156 : **select * from resources, resourceStatuses where id_res='133' and status_res=id_rs**
Loaded in 0.00039196014404297 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.715Mo / 9.803Mo

157 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.0058751106262207 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.661Mo / 9.803Mo

158 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043797492980957 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.679Mo / 9.803Mo

159 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00031900405883789 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.704Mo / 9.803Mo

160 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00034594535827637 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.706Mo / 9.803Mo

161 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;109' or lineage_mca lik (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00031709671020508 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.711Mo / 9.803Mo

162 : **select distinct objectID from mod_subobject_text_public where objectID in (118) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (118)**
Loaded in 0.00031900405883789 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.689Mo / 9.803Mo

163 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00038290023803711 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.694Mo / 9.803Mo

164 : **select * from mod_subobject_text_public where objectID in (118) union distinct select * from mod_subobject_integer_public where objectID in (118) union distinct select * fr**
Loaded in 0.00039386749267578 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.691Mo / 9.806Mo

165 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.0005040168762207 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.712Mo / 9.806Mo

166 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00040793418884277 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.734Mo / 9.823Mo

167 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.0016801357269287 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.676Mo / 9.823Mo

168 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00039505958557129 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.706Mo / 9.823Mo

169 : **select * from resources, resourceStatuses where id_res='134' and status_res=id_rs**
Loaded in 0.00035786628723145 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.731Mo / 9.823Mo

170 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.0072591304779053 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.677Mo / 9.823Mo

171 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043082237243652 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.695Mo / 9.823Mo

172 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in**

(37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)
Loaded in 0.00035309791564941 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.72Mo / 9.823Mo

173 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00032281875610352 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.722Mo / 9.823Mo

174 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;72' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00027799606323242 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.726Mo / 9.823Mo

175 : **select distinct objectID from mod_subobject_text_public where objectID in (44) union distinct select distinct objectID from mod_subobject_integer_public where objectID in (mod_subobject_date_public where objectID in (44)**
Loaded in 0.00025391578674316 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.705Mo / 9.823Mo

176 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00041079521179199 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.71Mo / 9.823Mo

177 : **select * from mod_subobject_text_public where objectID in (44) union distinct select * from mod_subobject_integer_public where objectID in (44) union distinct select * fror**
Loaded in 0.00036096572875977 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.707Mo / 9.824Mo

178 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00039100646972656 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.726Mo / 9.824Mo

179 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00043106079101562 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.749Mo / 9.841Mo

180 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00046491622924805 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.692Mo / 9.841Mo

181 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00036406517028809 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.722Mo / 9.841Mo

182 : **select * from resources, resourceStatuses where id_res='135' and status_res=id_rs**
Loaded in 0.00049090385437012 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.747Mo / 9.841Mo

183 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.0010550022125244 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.691Mo / 9.841Mo

184 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00053596496582031 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.709Mo / 9.841Mo

185 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00032210350036621 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.734Mo / 9.841Mo

186 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00030112266540527 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.737Mo / 9.841Mo

187 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;97' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00031089782714844 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.741Mo / 9.841Mo

188 : **select distinct objectID from mod_subobject_text_public where objectID in (121) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (121)**
Loaded in 0.00029897689819336 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.719Mo / 9.841Mo

189 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00049018859863281 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.724Mo / 9.841Mo

190 : **select * from mod_subobject_text_public where objectID in (121) union distinct select * from mod_subobject_integer_public where objectID in (121) union distinct select * fr**
Loaded in 0.00039291381835938 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.721Mo / 9.841Mo

191 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00042414665222168 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.738Mo / 9.841Mo

192 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00032186508178711 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.761Mo / 9.855Mo

193 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00044012069702148 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.706Mo / 9.855Mo

194 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00039315223693848 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.736Mo / 9.855Mo

195 : **select * from resources, resourceStatuses where id_res='136' and status_res=id_rs**
Loaded in 0.00036382675170898 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.762Mo / 9.855Mo

196 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00034618377685547 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.707Mo / 9.855Mo

197 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00040292739868164 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.725Mo / 9.855Mo

198 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00033187866210938 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.751Mo / 9.855Mo

199 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00029897689819336 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.753Mo / 9.855Mo

200 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;98' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00029516220092773 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.757Mo / 9.855Mo

201 : **select distinct objectID from mod_subobject_text_public where objectID in (123) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (123)**
Loaded in 0.00027894973754883 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)

Memory : 9.735Mo / 9.855Mo

202 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00049614906311035 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.74Mo / 9.855Mo

203 : **select * from mod_subobject_text_public where objectID in (123) union distinct select * from mod_subobject_integer_public where objectID in (123) union distinct select * fr**
Loaded in 0.00037217140197754 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.737Mo / 9.857Mo

204 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00040411949157715 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.757Mo / 9.857Mo

205 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00040388107299805 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.78Mo / 9.874Mo

206 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00039196014404297 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.722Mo / 9.874Mo

207 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00035405158996582 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.752Mo / 9.874Mo

208 : **select * from resources, resourceStatuses where id_res='137' and status_res=id_rs**
Loaded in 0.00037097930908203 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.778Mo / 9.874Mo

209 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00035786628723145 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.722Mo / 9.874Mo

210 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00041699409484863 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.741Mo / 9.874Mo

211 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00031614303588867 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.765Mo / 9.874Mo

212 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.0002901554107666 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.768Mo / 9.874Mo

213 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;99' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00033783912658691 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.772Mo / 9.874Mo

214 : **select distinct objectID from mod_subobject_text_public where objectID in (126) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (126)**
Loaded in 0.00025606155395508 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.75Mo / 9.874Mo

215 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00036001205444336 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.756Mo / 9.874Mo

216 : **select * from mod_subobject_text_public where objectID in (126) union distinct select * from mod_subobject_integer_public where objectID in (126) union distinct select * fr**
Loaded in 0.00038886070251465 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.753Mo / 9.874Mo

217 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.0015909671783447 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.769Mo / 9.874Mo

218 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00036001205444336 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.792Mo / 9.885Mo

219 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.0004279613494873 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.738Mo / 9.885Mo

220 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00038599967956543 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.767Mo / 9.885Mo

221 : **select * from resources, resourceStatuses where id_res='138' and status_res=id_rs**
Loaded in 0.00041007995605469 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.793Mo / 9.885Mo

222 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.0048270225524902 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.737Mo / 9.885Mo

223 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00045299530029297 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.755Mo / 9.885Mo

224 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00055193901062012 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.78Mo / 9.885Mo

225 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00035190582275391 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.782Mo / 9.885Mo

226 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;100' or lineage_mca lik (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00033116340637207 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.787Mo / 9.885Mo

227 : **select distinct objectID from mod_subobject_text_public where objectID in (128) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (128)**
Loaded in 0.00027990341186523 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.765Mo / 9.885Mo

228 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00038290023803711 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.77Mo / 9.885Mo

229 : **select * from mod_subobject_text_public where objectID in (128) union distinct select * from mod_subobject_integer_public where objectID in (128) union distinct select * fr**
Loaded in 0.00040006637573242 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.767Mo / 9.886Mo

230 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043392181396484 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.785Mo / 9.886Mo

231 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00034189224243164 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.808Mo / 9.902Mo

232 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00039792060852051 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.752Mo / 9.902Mo

233 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00034785270690918 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.782Mo / 9.902Mo

234 : **select * from resources, resourceStatuses where id_res='139' and status_res=id_rs**
Loaded in 0.00053620338439941 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.808Mo / 9.902Mo

235 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00047206878662109 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.753Mo / 9.902Mo

236 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00037407875061035 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.771Mo / 9.902Mo

237 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00029587745666504 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.796Mo / 9.902Mo

238 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00028204917907715 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.798Mo / 9.902Mo

239 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;70' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00028204917907715 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.803Mo / 9.902Mo

240 : **select distinct objectID from mod_subobject_text_public where objectID in (42) union distinct select distinct objectID from mod_subobject_integer_public where objectID in (mod_subobject_date_public where objectID in (42)**
Loaded in 0.00025296211242676 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.781Mo / 9.902Mo

241 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00040888786315918 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.786Mo / 9.902Mo

242 : **select * from mod_subobject_text_public where objectID in (42) union distinct select * from mod_subobject_integer_public where objectID in (42) union distinct select * fror**
Loaded in 0.00036716461181641 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.783Mo / 9.902Mo

243 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043678283691406 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.803Mo / 9.902Mo

244 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00035500526428223 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.825Mo / 9.92Mo

245 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00039196014404297 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.768Mo / 9.92Mo

246 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00033783912658691 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.798Mo / 9.92Mo

247 : **select * from resources, resourceStatuses where id_res='140' and status_res=id_rs**
Loaded in 0.00033998489379883 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.824Mo / 9.92Mo

248 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00038313865661621 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.768Mo / 9.92Mo

249 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00051999092102051 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.786Mo / 9.92Mo

250 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00034618377685547 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.811Mo / 9.92Mo

251 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00032806396484375 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.814Mo / 9.92Mo

252 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;101' or lineage_mca lik (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00028610229492188 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.818Mo / 9.92Mo

253 : **select distinct objectID from mod_subobject_text_public where objectID in (131) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (131)**
Loaded in 0.00025010108947754 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.796Mo / 9.92Mo

254 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00041794776916504 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.801Mo / 9.92Mo

255 : **select * from mod_subobject_text_public where objectID in (131) union distinct select * from mod_subobject_integer_public where objectID in (131) union distinct select * fr**
Loaded in 0.00038909912109375 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.798Mo / 9.92Mo

256 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00039982795715332 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.815Mo / 9.92Mo

257 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.0010390281677246 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.838Mo / 9.932Mo

258 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.0004429817199707 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.784Mo / 9.932Mo

259 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00036191940307617 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.814Mo / 9.932Mo

260 : **select * from resources, resourceStatuses where id_res='143' and status_res=id_rs**
Loaded in 0.0063080787658691 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.841Mo / 9.932Mo

261 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00054121017456055 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.784Mo / 9.932Mo

262 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00049185752868652 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.803Mo / 9.932Mo

263 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00034403800964355 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.828Mo / 9.932Mo

264 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00028014183044434 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.83Mo / 9.932Mo

265 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;102' or lineage_mca lik (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.0003211498260498 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.834Mo / 9.932Mo

266 : **select distinct objectID from mod_subobject_text_public where objectID in (133) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (133)**
Loaded in 0.00038003921508789 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.813Mo / 9.932Mo

267 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.0004279613494873 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.818Mo / 9.932Mo

268 : **select * from mod_subobject_text_public where objectID in (133) union distinct select * from mod_subobject_integer_public where objectID in (133) union distinct select * fr**
Loaded in 0.0010828971862793 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.815Mo / 9.935Mo

269 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00081896781921387 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.852Mo / 9.935Mo

270 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.0028219223022461 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.875Mo / 9.969Mo

271 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043797492980957 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.8Mo / 9.969Mo

272 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00034403800964355 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.83Mo / 9.969Mo

273 : **select * from resources, resourceStatuses where id_res='144' and status_res=id_rs**
Loaded in 0.00039386749267578 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.855Mo / 9.969Mo

274 : **select * from modulesCategories where id_mca='36'**
Loaded in 0.00040698051452637 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_object_categories->getValue (line 942)
Memory : 9.797Mo / 9.969Mo

275 : **select label_mcl as libelle, description_mcl as description, file_mcl as file, LOWER(language_mcl) as lang from modulesCategories_i18nm where category_mcl='36' order by lar**
Loaded in 0.00032997131347656 From CMS_moduleCategory->_retrieveLabels (line 408) « CMS_moduleCategory->getLabel (line 431) « CMS_object_categories->getValue (line 944)
Memory : 9.799Mo / 9.969Mo

276 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00033211708068848 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.804Mo / 9.969Mo

277 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00039982795715332 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.822Mo / 9.969Mo

278 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00035285949707031 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.848Mo / 9.969Mo

279 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00031208992004395 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.85Mo / 9.969Mo

280 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;68' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00031900405883789 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.854Mo / 9.969Mo

281 : **select distinct objectID from mod_subobject_text_public where objectID in (38) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (38)**
Loaded in 0.00029087066650391 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.832Mo / 9.969Mo

282 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00041484832763672 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.838Mo / 9.969Mo

283 : **select * from mod_subobject_text_public where objectID in (38) union distinct select * from mod_subobject_integer_public where objectID in (38) union distinct select * fror**
Loaded in 0.00039982795715332 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.835Mo / 9.969Mo

284 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00042295455932617 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.854Mo / 9.969Mo

285 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00038599967956543 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.877Mo / 9.971Mo

286 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043392181396484 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.819Mo / 9.971Mo

287 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00035786628723145 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.85Mo / 9.971Mo

288 : **select * from resources, resourceStatuses where id_res='145' and status_res=id_rs**
Loaded in 0.00038599967956543 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.876Mo / 9.971Mo

289 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00030612945556641 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.82Mo / 9.971Mo

290 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043988227844238 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.838Mo / 9.971Mo

291 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00031495094299316 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.864Mo / 9.971Mo

292 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00026202201843262 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.866Mo / 9.971Mo

293 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;89' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00029993057250977 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.871Mo / 9.971Mo

294 : **select distinct objectID from mod_subobject_text_public where objectID in (87) union distinct select distinct objectID from mod_subobject_integer_public where objectID in (mod_subobject_date_public where objectID in (87)**
Loaded in 0.00026607513427734 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.849Mo / 9.971Mo

295 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00068092346191406 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.854Mo / 9.971Mo

296 : **select * from mod_subobject_text_public where objectID in (87) union distinct select * from mod_subobject_integer_public where objectID in (87) union distinct select * fro**
Loaded in 0.00037384033203125 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.851Mo / 9.971Mo

297 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00037407875061035 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.872Mo / 9.971Mo

298 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00037121772766113 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.895Mo / 9.99Mo

299 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00042295455932617 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.836Mo / 9.99Mo

300 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00034379959106445 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.866Mo / 9.99Mo

301 : **select * from resources, resourceStatuses where id_res='146' and status_res=id_rs**
Loaded in 0.00030493736267 09 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.892Mo / 9.99Mo

302 : **select * from modulesCategories where id_mca='64'**
Loaded in 0.0002901554107666 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_object_categories->getValue (line 942)
Memory : 9.832Mo / 9.99Mo

303 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00034594535827637 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.837Mo / 9.99Mo

304 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00043487548828125 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.856Mo / 9.99Mo

305 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00037884712219238 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.881Mo / 9.99Mo

306 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00032782554626465 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.884Mo / 9.99Mo

307 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;61' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00024795532226562 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.888Mo / 9.99Mo

308 : **select distinct objectID from mod_subobject_text_public where objectID in (35) union distinct select distinct objectID from mod_subobject_integer_public where objectID in (mod_subobject_date_public where objectID in (35)**
Loaded in 0.00028109550476074 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.866Mo / 9.99Mo

309 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00040292739868164 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.871Mo / 9.99Mo

310 : **select * from mod_subobject_text_public where objectID in (35) union distinct select * from mod_subobject_integer_public where objectID in (35) union distinct select * fro**
Loaded in 0.00031805038452148 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.868Mo / 9.99Mo

311 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00040483474731445 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.885Mo / 9.99Mo

312 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00036406517028809 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.907Mo / 10.002Mo

313 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00046396255493164 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.853Mo / 10.002Mo

314 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00034403800964355 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.884Mo / 10.002Mo

315 : **select * from resources, resourceStatuses where id_res='147' and status_res=id_rs**
Loaded in 0.00034093856811523 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.911Mo / 10.002Mo

316 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00034594535827637 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.854Mo / 10.002Mo

317 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00040292739868164 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.873Mo / 10.002Mo

318 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.0002739429473877 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.898Mo / 10.002Mo

319 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00028395652770996 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.901Mo / 10.002Mo

320 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;84' or lineage_mca like (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00026893615722656 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.905Mo / 10.002Mo

321 : **select distinct objectID from mod_subobject_text_public where objectID in (141) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (141)**
Loaded in 0.00024604797363281 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)

Memory : 9.883Mo / 10.002Mo

322 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00040721893310547 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.888Mo / 10.002Mo

323 : **select * from mod_subobject_text_public where objectID in (141) union distinct select * from mod_subobject_integer_public where objectID in (141) union distinct select * fr**
Loaded in 0.00036311149597168 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.885Mo / 10.006Mo

324 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00038886070251465 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.902Mo / 10.006Mo

325 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00047999365997314 5 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.925Mo / 10.02Mo

326 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.0013267993927002 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.87Mo / 10.02Mo

327 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00031304359436035 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.901Mo / 10.02Mo

328 : **select * from resources, resourceStatuses where id_res='149' and status_res=id_rs**
Loaded in 0.00029301643371582 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.928Mo / 10.02Mo

329 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00031614303588867 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.87Mo / 10.02Mo

330 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00078988075256348 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.889Mo / 10.02Mo

331 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00029206275939941 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.915Mo / 10.02Mo

332 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00028181076049805 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.917Mo / 10.02Mo

333 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;103' or lineage_mca lik (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00026702880859375 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.921Mo / 10.02Mo

334 : **select distinct objectID from mod_subobject_text_public where objectID in (144) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (144)**
Loaded in 0.00027108192443848 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.899Mo / 10.02Mo

335 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00049996376037598 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.904Mo / 10.02Mo

336 : **select * from mod_subobject_text_public where objectID in (144) union distinct select * from mod_subobject_integer_public where objectID in (144) union distinct select * fr**
Loaded in 0.00039386749267578 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.901Mo / 10.022Mo

337 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00040292739868164 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.922Mo / 10.022Mo

338 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00034713745117188 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.945Mo / 10.04Mo

339 : **select * from mod_object_field, mod_object_definition where object_id_mof = '3' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00041294097900391 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.886Mo / 10.04Mo

340 : **select * from mod_object_definition where id_mod='3'**
Loaded in 0.00035595893859863 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.917Mo / 10.04Mo

341 : **select * from resources, resourceStatuses where id_res='150' and status_res=id_rs**
Loaded in 0.00035095214843 75 From CMS_resource->CMS_resource (line 79) « CMS_poly_object->_populateSubObjectsValues (line 308) « CMS_poly_object->__construct (line 212)
Memory : 9.944Mo / 10.04Mo

342 : **select * from modulesCategories where id_mca='23'**
Loaded in 0.00032305717468262 From CMS_moduleCategory->__construct (line 154) « CMS_moduleCategories_catalog::getByID (line 41) « CMS_object_categories->getValue (line 942)
Memory : 9.883Mo / 10.04Mo

343 : **select label_mcl as libelle, description_mcl as description, file_mcl as file, LOWER(language_mcl) as lang from modulesCategories_i18nm where category_mcl='23' order by lar**
Loaded in 0.00028300285339355 From CMS_moduleCategory->_retrieveLabels (line 408) « CMS_moduleCategory->getLabel (line 431) « CMS_object_categories->getValue (line 944)
Memory : 9.886Mo / 10.04Mo

344 : **select id_moo as objectID from mod_object_polyobjects where object_type_id_moo = '5' and deleted_moo = '0'**
Loaded in 0.00029897689819336 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.89Mo / 10.04Mo

345 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00035595893859863 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getIds (line 664) « CMS_object_search->search (line 1503)
Memory : 9.909Mo / 10.04Mo

346 : **select distinct objectID from mod_subobject_integer_public where objectFieldID = '24' and value not in (37,39,49,51,53,54,58,59,60,79,80,82,87,113,124,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,38,40,41,42,43,44,45,46,47,48,50,52,55,56,57,61,62,63,64,67,68,69,70,71 and objectID in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00026488304138184 From CMS_object_search->_getIds (line 697) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.935Mo / 10.04Mo

347 : **select distinct id_moo as objectID from mod_object_polyobjects where id_moo in (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,1**
Loaded in 0.00031900405883789 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.937Mo / 10.04Mo

348 : **select distinct objectID from mod_subobject_integer_public, modulesCategories where objectFieldID = '24' and id_mca=value and (lineage_mca = '21;104' or lineage_mca lik (7,35,38,40,42,44,46,80,84,87,89,92,96,99,102,116,118,121,123,126,128,131,133,141,144,146,148,151,155,157,159,163,165,171,173,175,178,179)**
Loaded in 0.00029087066650391 From CMS_object_search->_getIds (line 1142) « CMS_object_search->search (line 1503) « /html/12.php (line 513)
Memory : 9.942Mo / 10.04Mo

349 : **select distinct objectID from mod_subobject_text_public where objectID in (146) union distinct select distinct objectID from mod_subobject_integer_public where objectID in mod_subobject_date_public where objectID in (146)**
Loaded in 0.00028204917907715 From CMS_object_search->_sortIds (line 1384) « CMS_object_search->search (line 1507) « /html/12.php (line 513)
Memory : 9.92Mo / 10.04Mo

350 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00036096572875977 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_object_search->_getSubObjectsIds (line 1205) « CMS_object_search->search (line 1512)
Memory : 9.925Mo / 10.04Mo

351 : **select * from mod_subobject_text_public where objectID in (146) union distinct select * from mod_subobject_integer_public where objectID in (146) union distinct select * fr**
Loaded in 0.00036215782165527 From CMS_object_search->_getObjectValues (line 1452) « CMS_object_search->search (line 1515) « /html/12.php (line 513)
Memory : 9.922Mo / 10.043Mo

352 : **select * from mod_object_field, mod_object_definition where object_id_mof = '5' and object_id_mof = id_mod order by order_mof**
Loaded in 0.00038504600524902 From CMS_poly_object_catalog::getFieldsDefinition (line 395) « CMS_poly_object->__construct (line 173) « CMS_object_search->getNextResult (line 1612)
Memory : 9.939Mo / 10.043Mo

353 : **select * from mod_object_definition where id_mod='5'**
Loaded in 0.00034308433532715 From CMS_poly_object_definition->__construct (line 129) « CMS_poly_object->getObjectDefinition (line 504) « CMS_poly_object->__construct (line 175)
Memory : 9.962Mo / 10.057Mo